# AUTHOR INDEX TO VOLUME 21

References with (A) are merely to abstracts of papers presented at meetings of the Physical Society.


**Abbott, R. B.** Telephone-transmitter stethoscope—**21,**200(A)

**Adams, E. Q.** (see Nichols, E. F.)—**21,** 712(A)

**Allen, Mildred.** Thermal emissivity of water—**21,**368(A)

**Anderson, S. Herbert.** Overtones of large tuning forks—**21,**692

**Arnold, H. D.** and **G. W. Elmen.** Permalloy, an alloy of remarkable magnetic properties—**21,** 707(A)

**Bauer, Louis A.** Earth's magnetic field in 1922—**21,**370(A)

**Bauer, Louis A.** and **W. J. Peters.** Line integrals of the Earth's magnetic force—**21,**388(A)

**Bayley, P. L.** Effect of x-rays on halite and sylvite —**21,**716(A)

**Becker, A. L.** (see Sawyer, R.A.)—**21,**373(A)

**Becknell, G. G.** and **John Coulson.** Diffraction caustics due to apertures—**21,**480(A)

**Bennett, R. H.** (see Kleeman, R. D.)—**21,** 479(A)

**Benson, Nels C.** (see Stephenson, E. B.)—**21,** 389(A)

**Birge, Raymond T.** The 3883 CN band in the solar spectrum—**21,**712(A)

——— (see Brackett, F. S.)—**21,**710(A)

**Blankenstein, E.** Coefficient of slip and momentum transfer in air, hydrogen, and helium—**21,**703(A)

**Brackett, F. S.** and **R. T. Birge.** Quantum defect and the new Bohr theory of atomic structure—**21,**710(A)

**Bridgman, P. W.** Compressibility of metals at high pressures—**21,**374(A)

——— Thermal conductivity of liquids under pressure—**21,** 704(A)

**Briggs, L. J.** and **G. F. Hull.** Resistance to bodies in a high-speed air-stream—**21,**709(A)

**Bronk, D. W.** (see Colby, W. F.)—**21,**389(A)

——— (see Meyer, Charles F.)—**21,** 712(A)

**Brown, Carl R.** (see Rich, Daniel L.)—**21,**199(A)

**Brown, Hugh A.** (see Knipp, Chas. T.)

**Brown, S. Leroy.** Variation of diathermancy—**21,** 103

**Brown, Thomas B.** Mechanical wave-motion models having properties similar to electric wave-filters—**21,**702(A)

**Burnett, E. S.** Joule-Thomson effect in carbon dioxide—**21,**372(A)

**Cady, W. G.** Piezo-electrically driven tuning forks and rods—**21,**371(A)

**Calvert, S.** (see Dufford, R. T.)—**21,**203(A)

**Carman, A. P.** (see Sanders, W. H.)—**21,**197(A)

**Carman, A. P.** and **G. T. Lorance.** Method of measuring dielectric constants—**21,**197(A)

**Castleman, R. A., Jr.** Demonstration of the instability of a cylindrical liquid column—**21,**709(A)

——— Logarithmic and semi-logarithmic coordinator—**21,**473(A)

**Charlton, E. E.** (see Mackay, G.M.J.)—**21,**209(A)

**Cioffi, P. P.** (see McKeehan, L. W.)—**21,**707(A)

**Clark, George L.** (see Duane, William)—**21,** 379(A)

**Clark, George L.** and **William Duane.** A study of secondary valence, by x-rays—**21,**380(A)

**Clark, Harry.** Efficiency of x-ray apparatus—**21,** 477(A)

**Coblentz, W. W.** New photoelectrical and thermoelectrical properties of molybdenite—**21,**714(A)

**Colby, W. F., C. F. Meyer** and **D. W. Bronk.** Fundamental infra-red absorption band of HCl—**21,** 389(A)

**Compton, Arthur H.** A quantum theory of the scattering of x-rays by light elements—**21,**483; 207(A)

——— Wave-length measurements of scattered x-rays—**21,**715(A)

**Compton, Arthur H.** and **C. C. Van Voorhis.** Luminous efficiency of gases excited by electric discharge—**21,**210(A)

**Compton, K. T.** Time of imprisonment of resonance radiation in a gas—**21,**207(A)

——— Theory of the electric arc—**21,** 266; 382(A)

——— Cause of ionization in the carbon arc—**21,** 476(A)

——— Terminal speeds and mobilities of electrons in gases—**21,** 717(A)

——— (see Olmstead, P.S.)—**21,**476(A)

**Cooley, J. P.** Infra-red band spectrum of methane —**21,**376(A)

**Cork, J. M.** Characteristic L absorption for elements 62 to 77—**21,**326

**Coulson, John.** (see Becknell, G. G.)—**21,**480(A)

**Curry, Bessie.** Relative intensities of helium lines as a function of current—**21,**203(A)

**Dadourian, H. M.** A simple derivation of the Lorentz transformation—**21,**390(A)

**Darwin, Charles G.** A quantum theory of optical dispersion—**21,**377(A)
**Davey, Wheeler P.** Measurements of crystals of the alkali halides—**21,**143
——— Crystal structure of calcium oxide, calcium sulfide, and calcium selenide—**21,**213(A)
——— Crystal structure and densities of $Cu_2Se$ and ZnSe—**21,**380(A)
——— Crystal structures of $Al_2O_3$, $Fe_2O_3$ and $Cr_2O_3$ —**21,**716(A)
——— X-ray examination of ZnO in vulcanized rubber—**21,**719(A)
**Davisson, C.** Scattering of electrons by a positive nucleus of limited field—**21,**637
**Davisson, C.** and **L. H. Germer.** Thermionic work function of oxide-coated platinum—**21,**208(A)
**Davisson, C.** and **C. H. Kunzman.** Scattering of electrons by Pt and Mg—**21,**385(A)
**Davy, N.** (see Shaw, P.E.)—**21,**680
**Dempster, A. J.** Positive ray analysis of potassium and calcium—**21,**209(A)
——— Duration of light emission by hydrogen canal rays—**21,**714(A)
**Dershem, Elmer.** (see Olson, A. R.)—**21,**30.
**Dorsey, N. Ernest.** Flow of liquids through capillaries—**21,**702(A)
**Duane, William.** Transfer of radiation momentum in quanta—**21,**715(A)
——— (see Clark, George L.)—**21,**380(A)
**Duane, William** and **George L. Clark.** Abnormal reflection of x-rays by crystals—**21,**379(A)
**Dufford, R. T., S. Calvert** and **Dorothy Nightingale.** Luminescence of organo-magnesium halides—**21,** 203(A)
**Dufford, R. T.** and **L. Thompson.** Spectrum of helium at very low pressures—**21,**212(A)
**Dushman, Saul.** Electron emission from metals as a function of temperature—**21,**623
**Dushman, S., H. N. Rowe** and **C. A. Kidner.** Electron emission from tungsten, thorium, molybdenum, and tantalum—**21,**207(A)

**Eldridge, John A.** Application of the electron theory to the Hall effect—**21,**131; 382(A)
——— Probability of inelastic collisions of electrons in mercury vapor—**21,**205(A)
**Elmen, G. W.** (see Arnold, H.D.)—**21,**707(A)
**Epstein, Paul S.** Resistance experienced by spheres moving through gases—**21,**373(A)
**Erikson, Henry A.** Positive ions from hot platinum —**21,**720(A)
**Eve, A.S.** A thermoelectric effect—**21,**370(A)

**Farnsworth, H. E.** Electronic bombardment of metals—**21,**204(A)
**Fazel, C. S.** and **S. R. Parsons.** Current voltage relation in the corona—**21,**708(A)
**Fletcher, H.** Pitch of a musical tone—**21,**706(A)
**Foley, Arthur L.** Action of horns as sound amplifiers—**21,**200(A)
**Fonda, G. R.** Evaporation characteristics of tungsten—**21,**343
**Foote, Paul D.** (see Harrison, T. R.)—**21,**196(A)
——— (see Mohler, F. L.)—**21,**382(A)
**Forman, Nyna L.** (see Wenner, F.)—**21,**704(A)
**Forsythe, W. E.** Intercomparison of the high temperature scales in use in this country and in England—**21,**704(A)
**Foster, John Stuart.** Fine analysis of the Stark effect in Balmer's series—**21,**710(A)
**Frayne, John G.** Reversible inductivity of Rochelle salt crystals—**21,**348
**Fricke, Hugo.** Electric capacity of cell suspensions —**21,**708(A)
**Fritts, E. C.** Measurement of the dielectric constant and magnetic susceptibility of gases—**21,**198(A)
**Fulcher, Gordon S.** Band lines in the secondary spectrum of hydrogen—**21,**375(A)
——— Arthur Gordon Webster—**21,**585

**Gale, Henry G.** Line and band spectra of fluorine— **21,**711(A)
**Germer, L. H.** (see Davisson, C.)—**21,**208(A)
**Gray, Arthur W.** A neglected method of physico-chemical research—**21,**474(A)
**Green, J. B.** Relativistic rontgen L-doublets and the "screening constant"—**21,**397
**Guernsey, E. W.** (see Tolman, R. C.)—**21,**525

**Hackett, Felix E.** Lines of electric force of a moving charge on the emission theory—**21,**465
**Harkins, William D.** Isotopes: a new relation concerning atomic species of even and of odd atomic weight—**21,**711(A)
——— (see Ryan, R. W.)—**21,**375(A)
**Harkins, William D.** and **S. L. Madorsky.** Separation of the isotopes of mercury in a large steel apparatus—**21,**385(A)
**Harrington, E. L.** A low voltage, low wattage mercury lamp—**21,**703(A)
**Harrison, T. R.** and **Paul D. Foote.** Thermoelectric power of tin at the melting point—**21,**196(A)
**Hartmann, Julius.** Influence of surface tension on the efflux of a liquid in jet form—**21,**365 (corr.)
**Hay, D. L.** (see Mason, Max)—**21,**200(A)
**Hector, G.** (see Wills, A.P.)—**21,**475(A)
**Hennings, A. E.** (see Webster, D. L.)
**Hersey, Mayo D.** Conductivity and specific heat measurement at high temperature—**21,**480(A)

**Hersey, Mayo D.** Physics of lubrication, I. The carrying power of an oil film—**21,** 703(A)
**Hersey, Mayo D.** and **Henry Shore.** Physics of lubrication, II. Viscosity under pressure—**21,** 718(A)
**Hewlett, C. W.** Scattering of x-rays by liquid benzene, mesitylene and octane, and by diamond splints—**21,**477(A)
**Hildebrand, Joel H.** Theory of solubility—**21,**46
**Hoersch, Victor A.** Cause of the optimum angle in a receiving conical horn—**21,**200(A)
——— New vibrations within a conical horn—**21,** 706(A)
**Holmes, R. M.** Thermoelectric properties of sputtered films—**21,**386(A)
**Hopfield, J. J.** New series spectra in oxygen—**21,** 710(A)
**Hughes, A. Ll.** and **P. Lowe.** Intensities in the hydrogen spectrum—**21,**292; 202(A)
——— Intensity relations in the helium spectrum—**21,**714(A)
**Huggins, Maurice L.** Atomic radii—**21,**205(A)
——— Crystal structures of some sulfides, selenides, and tellurides—**21,**211(A)
——— Evidence from crystal structures in regard to atomic structures—**21,**379(A)
——— Electron structures of the spinels—**21,**509
——— Crystal structure of aluminum carbide—**21,** 716(A)
——— Crystal structures of some tetragonal crystals—**21,**719(A)
**Hulburt, E. O.** Magnetic and natural rotatory dispersion in absorbing media—**21,**197(A)
——— Distribution of intensity in the broadened Balmer lines of hydrogen—**21,**474(A)
——— Deflection of a stream of electrons by electromagnetic radiation—**21,**650
**Hull, Albert W.** and **W. F. Winter.** Volt-ampere characteristics of electron tubes with thoriated tungsten filaments—**21,**211(A)
**Hull, G. F.** (see Briggs, L. J.)—**21,**709(A)

**Ishida, Yoshio.** Viscosities and the Stokes-Millikan-law constant determined by the oil-drop method—**21,**550
**Ives, Herbert E.** Positive rays in alkali metal vapor thermionic tubes—**21,**385(A)
——— Properties of very thin films of photo-electrically active material—**21,**389(A)
——— Variation of contact potential difference with temperature in potassium—**21,**478(A)
——— Velocities of emission of photo-electrons in the normal and selective photo-electric effects—**21,**714(A)

**Jauncey, G. E. M.** A corpuscular quantum theory of the scattering of x-rays by light elements—**21,** 477(A)
**Jauncey, G. E. M.** and **H. L. May.** Scattering of x-rays from crystals at small angles—**21,**206(A)
**Jones, Arthur Taber.** Temperature of a black sphere exposed to radiation from one direction—**21,**377(A)

**Kahler, H.** Photo-electrical properties of heated oxides—**21,**213(A)
——— Photo-electrical properties of the phosphors—**21,**214(A)
**Kar, K. C.** Statistical theory of spontaneous fluctuations in energy, pressure, and density—**21,** 672
——— Dynamical theory of the bridge of a certain class of stringed instruments—**21,**695
**Karrer, Sebastian.** (see Tolman, R. C.)—**21,**525
**Kemble, E. C.** Relative intensities of band components in the infra-red spectra of diatomic gases—**21,**713(A)
**Kemble, E. C.** and **J. H. Van Vleck.** Theory of the temperature variation of the specific heat of hydrogen—**21,**653; 381(A)
**Kendall, James.** The separation of isotopes—**21,** 389(A)
**Kennard, E. H.** and **C. Moon.** Photo-electromotive effect in selenium—**21,**374(A)
**Kenrick, Frank B.** and **W. H. Martin.** Scattering of light by liquids—**21,**373(A)
**Keys, David A.** Time-distribution of potential in a Geissler tube—**21,**708(A)
**Kidner, C. A.** (see Dushman, S.)—**21,**207(A)
**Kimball, A. L., Jr.** Internal friction theory of shaft whirling—**21,**703(A)
**Kimball, William S.** Scattering of particles by an Einstein center—**21,**387(A)
**King, L. V.** Complex anisotropic molecule in relation of the theory of dispersion and scattering of light in gases and liquids—**21,**377(A)
**Kingdon, K. H.** Mechanism of cathode sputtering—**21,**210(A)
——— Neutralization of electron space charge by positive ionization—**21,**408
——— (see Langmuir, Irving)—**21,**381(A)
**Kingdon, K. H.** and **Irving Langmuir.** Thermionic phenomena due to alkali vapors. Part I. Experimental—**21,**380(A)
**Kleeman, R. D.** and **R. H. Bennett.** E.M.F. between a metal plate and a solution after being suddenly brought into contact—**21,**479(A)
**Kleeman, R. D.** and **D. T. Simonds.** Effect of an alternating current on a capillary electrometer—**21,**38

**Kleeman, R. D.** and **W. F. Winter.** Effect of an intermittent direct current on the e.m.f. associated with a metal plate in a solution—**21,**369(A)
**Knipp, Chas. T.** and **Hugh A. Brown.** Alkali vapor detector tubes—**21,** 209(A); 387(A)
**Knudsen, Vern O.** Sensibility of the ear to small differences of intensity and frequency—**21,**84
**Kranz, Frederick W.** Sensitivity of the ear as a function of pitch—**21,**480(A)
——— Minimum intensity for audition—**21,**573
**Kunz, Jakob.** Applications of functions with multiplicative periods—**21,**186
——— A derivation of Planck's law of radiation by means of the adiabatic theorem—**21,**198(A)
——— (see Tykocinski-Tykociner, J.)—**21,**210(A)
**Kunz, Jakob and E. H. Williams.** Photoelectric effect of caesium vapor—**21,**715(A)
**Kunzman, C. H.** (see Davisson, C.)—**21,**385(A)

**Lane, C. E.** (see Wegel, R. L.)—**21,**705(A)
**Langmuir, Irving.** Effect of space charge and initial velocities on the potential distribution and thermionic current between parallel plane electrodes—**21,**419
——— (see Kingdon, K.H.)—**21,**380(A)
**Langmuir, Irving** and **K. H. Kingdon.** Thermionic phenomena due to alkali vapors. Part II. Theoretical—**21,**381(A)
**Lewis, E. P.** Phosphorescence caused by active nitrogen—**21,**713(A)
**Loeb, Leonard B.** Mobilities of electrons in hydrogen—**21,**365 (correction)
——— Influence of variable electron mobilities on the formation of negative ions in air—**21,**384(A)
——— Mobility of negative ions in air—**21,**721(A)
**Longden, A. C.** Percentage bridge in the measurement of low electrical resistances—**21,**368(A)
**Lorance, G. T.** (see Carman, A. P.)—**21,**197(A)
**Lowe, P.** (see Hughes, A. Ll.)
**Lunn, A. C.** Relativity, quantum theory, and the wave theories of light and gravitation—**21,** 711(A)
**Lyman, Theodore.** Spectrum of helium in the extreme ultra-violet—**21,**202(A)

**McAdie, Alexander.** Velocity of sound in free air—**21,**377(A)
**McAllister, Lawrence E.** Secondary electron emission from copper and copper oxide surfaces—**21,** 122
**McDowell, Louise S.** Power loss in condensers with liquid dielectrics—**21,**371(A)
**Mackay, C. A.** Ionization potentials of various gases—**21,**717(A)
**MacKay, G. M. J.** and **E. E. Charlton.** Luminous discharge in sodium vapor—**21,**209(A)
**Mackay, Thomas C.** Hall effect in silicon-iron alloys—**21,**720(A)
**McKeehan, L. W.** Crystal structures of the system palladium-hydrogen—**21,**334
——— Crystal structure of iron-nickel alloys—**21,** 402; 380(A)
——— Crystal structure of quartz—**21,**503
**McKeehan, L. W.** and **P. P. Cioffi.** Magnetostriction in iron and permalloy—**21,**707(A)
**Mackell, James F.** Influence of the earth's potential-gradient upon measurements by the Ebert ion-counter—**21,**436
**Mackeown, S. S.** Hall effect and specific resistance of cathodically deposited films of gold—**21,**708(A)
**MacLeod, Hector J.** Variation with frequency of the power loss in dielectrics—**21,**53
**Madorsky, S. L.** (see Harkins, William D.)—**21,** 385(A)
**Marden, J. W.** (see Rentschler, H. C.)—**21,**704(A)
**Martin, W. H.** (see Kenrick, Frank B.)—**21,**373(A)
**Mason, Max, D. L. Hay** and **L. B. Slichter.** Dynamic theory of an acoustic diaphragm and its application to sound analysis—**21,**200(A)
**Mason, Max and Warren Weaver.** Settling of small particles in a fluid—**21,**212(A)
**Mauchly, S. J.** Diurnal variation of the atmospheric potential gradient over land and ocean—**21,**722(A)
**May, Frederick A.** Effect of temperature on the dark current in a platinum-rhodamine B-platinum photo-active cell—**21,**478(A)
**May H. L.** (see Jauncey, G.E.M.)—**21,**206(A)
**Meyer, C. F.** (see Colby, W. F.)—**21,**389(A)
**Meyer, Charles F.** and **Detlev W. Bronk.** Absorption bands of certain organic gases and vapors in the near infra-red—**21,**712(A)
**Michelson, A. A.** Interference fringes in the rectangular interferometer—**21,**215(A)
**Millikan, R. A.** Coefficients of slip in gases and the law of reflection of molecules from surfaces—**21,** 217
——— Physical significance of the constants involved in the complete law of motion of a sphere through a gas—**21,**373(A)
**Mohler, F. L.** and **Paul D. Foote.** Stages in the development of the iodine spectrum and related critical potentials—**21,**382(A)
**Mohler, F. L.** and **A. E. Ruark.** Stages in the excitation of the thallium spectrum—**21,**718(A)
**Monk, George S.** Interference measurements on the spectrum of manganese—**21,**215(A)
**Moon, C.** (see Kennard, E. H.)—**21,**374(A)
**Mulliken, Robert S.** A high capacity apparatus for the partial separation of mercury into isotopes—**21,**386(A)

**Nelson, Roy A.** Convection of heat by liquids—**21,**704(A)
**Nettleton, L. L.** Characteristics of a short wave oscillator—**21,**208(A)
**Nichols, E. F.** and **J. D. Tear.** Short electric waves—**21,**587; 378(A)
**Nichols, E. F.** and **E. Q. Adams.** Infra-red resonance frequencies in diatomic solids—**21,**712(A)
**Nichols, E. L.** Luminescence of incandescent titanium oxide—**21,**713(A)
**Nightingale, Dorothy.** (see Dufford, R. T.)—**21,** 203(A)

**O'Brien, Brian** and **L. P. Wheeler.** Dispersion of the optical constants of mercury—**21,**376(A)
**Olmstead, P. S.** and **K. T. Compton.** Radiation potentials of atomic hydrogen—**21,**476(A)
**Olson, A. R., Elmer Dershem** and **H. H. Storch.** X-ray absorption coefficients of carbon, hydrogen and oxygen—**21,**30

**Page, Leigh.** Magnetization in weak fields as a function of frequency—**21,**456; 371(A)
——— Dispersion of light by an electron gas—**21,** 476(A)
**Parlin, W. A.** Torques and forces between short cylindrical coils carrying undamped alternating currents of radio frequency—**21,** 196(A)
**Parsons, S. R.** (see Fazel, C. S.)—**21,**708(A)
**Paton, R. F.** (see Sawyer, R. A.)—**21,**203(A)
**Peacock, H. B.** Predicted transmission curves of acoustic wave filters—**21,**201(A)
**Peters, W. J.** (see Bauer, Louis A.)—**21,**388(A)
**Poritsky, Hillel.** A generalization of Biot-Savart's law—**21,**360

**Ramanathan, K. R.** Molecular scattering of light in benzene, vapor and liquid—**21,**564
**Read, H. S.** A theory for the Bumstead electroscope—**21,**368(A)
**Reilley, H. E.** Temperature changes due to the expansion of gases at high pressure—**21,**705(A)
**Rentschler, H. C.** and **J. W. Marden.** A high temperature high vacuum furnace—**21,**704(A)
**Rice, Chester W.** Free and forced heat convection in gases and liquids—**21,**474(A)
**Rich, Daniel L.** and **Carl R. Brown.** Sound transmission of sawdust concrete—**21,**199(A)
**Richards, Harold F.** Contact electricity of solid dielectrics—**21,**479(A)
**Richtmyer, F. K.** Absorption of short x-rays by water and carbon—**21,**478(A)
**Richtmyer, F. K.** and **F. W. Warburton.** X-ray absorption coefficients of cobalt and nickel—**21,**721(A)
**Rodebush, Worth H.** General law for the distribution of energy in a system of particles—**21,**198(A)
**Rowe, H. N.** (see Dushman, S.)—**21,** 207(A)
**Ruark, A. E.** (see Mohler, F. L.)—**21,**718(A)
**Rusk, Rogers D.** Absorption of hydrogen in potassium vapor arcs—**21,**720(A)
**Ryan, R. W.** and **W. D. Harkins.** Tracks of alpha rays in gases—**21,**375(A)

**Sabine, Paul E.** Acoustic power of certain sound sources in absolute units—**21,**475(A)
——— Reduction of sound transmitted by plaster walls—**21,**480(A)
**St. John, Ancel.** Crystal structure of manganese dioxide—**21,**389(A)
**Sanders, W. H.** and **A. P. Carman.** Resistance changes in transverse and in longitudinal magnetic fields—**21,**197(A)
**Sawyer, R. A.** and **A. L. Becker.** Explosion spectra of the alkaline earth metals—**21,**373(A)
**Sawyer, R. A.** and **R. F. Paton.** Vacuum spark spectrum of silicon—**21,**203(A)
**Scott, M.** Low voltage mercury arc—**21,**204(A)
——— An experiment with mercury vapor—**21,** 716(A)
**Shaw, P. E.** and **N. Davy.** Effect of temperature on gravitative attraction—**21,**680
**Shore, Henry.** (see Hersey, Mayo D.)—**21,**718(A)
**Sieg, L. P.** Principal reflecting powers of isolated tellurium crystals—**21,**211(A)
**Sieg, L. P.** and **G. D. Van Dyke.** Principal optical constants of isolated tellurium crystals—**21,** 206(A)
**Silberstein, Ludwik.** Quantum theory of photographic exposure; third paper—**21,**375(A)
——— Spectrum of neutral helium. II. Probability estimate and effects of wobbling of the nucleus—**21,**388(A)
——— Crossed-orbit model of normal helium, its ionization potential and the Lyman series—**21,** 720(A)
**Simonds, D. T.** (see Kleeman, R.D.)—**21,**38
**Slattery, Mabel K.** Crystal structures of barium and strontium selenides—**21,**213(A)
——— Crystal structure of metallic selenium and tellurium—**21,**378(A)
**Slichter, L. B.** (see Mason, Max)—**21,**200(A)
**Stacy, Leland Johnson.** Coefficient of slip for rough and for smooth surfaces in air—**21,**239
**States, M. N.** Coefficient of viscosity of helium and the coefficients of slip of helium and oxygen—**21,**662
**Steinberg, J. C.** Hall effect and specific resistance of evaporated films of Ag, Cu and Fe—**21,**22; 196(A)

**Stempel, W. M.** Quantum theory and wave propagation—**21,**481(A)
**Stephenson, E. B.** Velocity of sound in sea water—**21,**181
——— Variation of the velocity of sound in sea water with temperature—**21,**369(A)
——— (see Wold, P. I.)—**21,**706(A)
**Stephenson, E. B.** and **Nels C. Benson.** Certain optical properties of 60-inch parabolic mirrors—**21,**389(A)
**Stewart, G. W.** Acoustic wave filters; attentuation and phase factors—**21,**201(A)
——— A variable single band acoustic wave filter—**21,**211(A)
——— Extension of acoustic wave filter theory—**21,** 706(A)
——— Demonstration of the variable character of the vowel ē—**21,**718(A)
**Storch, H. H.** (see Olson, A. R.)—**21,**30
**Stuhlman, Otto** and **D. A. Wells.** Radiotron as a source of negative electric resistance—**21,**717(A)
**Sur, Nalini Kanta.** A departure from Fresnel's laws of reflection—**21,**699
**Swann, W. F. G.** Ionization by charged corpuscles with velocities approaching that of light—**21,** 384(A)
——— Theory of the action of the earth's potential-gradient in measurements with the Ebert ion-counter—**21,**449
——— Note on Liouville's theorem—**21,**719(A)

**Taylor, Lloyd W.** Projection of polarized light phenomena—**21,**199(A)
**Taylor, Paul B.** Drop electrode in molten salt electrolytes—**21,**705(A)
**Tear, J. D.** Optical constants of certain liquids for short electric waves—**21,**611
——— (see Nichols, E. F.)
**Terrill, H. M.** Velocity loss of cathode rays in matter—**21,**476(A)
**Thompson, L.** An optical chronograph—**21,**199(A)
——— (see Dufford, R. T.)—**21,**212(A)
**Tolman, R. C., Sebastian Karrer** and **E. W. Guernsey.** Mass of the electric carrier in metals; further experiments—**21,**525
**Tonks, Lewi.** Characteristics of iron in high frequency rotating magnetic fields—**21,**707(A)
**Turner, Alva.** Characteristics of magnetically active iron—**21,**74
**Tykocinski-Tykociner, J.** Variation of capacity of photoelectric cells with illumination—**21,**383(A)
**Tykocinski-Tykociner, J.** and **Jacob Kunz.** Photoelectric cells with hot filaments—**21,**210(A)
**Tyndall, E. P. T.** Optical properties of some metallic sulfides—**21,**162

**Van Dyke, G. D.** (see Sieg, L. P.)—**21,**206(A)
**Van Dyke, Karl Skillman.** Coefficients of viscosity and of slip of air and of carbon dioxide—**21,**250
——— Some mechanical effects of a sliding electric contact—**21,**368(A)
**Van Vleck, J. H.** Quantum theory of the helium arc spectrum—**21,**372(A)
——— (see Kemble, E. C.)
**Van Voorhis, C. C.** (see Compton, Arthur H.)—**21,**210(A)

**Wahlin, H. B.** Motion of electrons in CO—**21,**517
**Warburton, F. W.** (see Richtmyer, F. K.)—**21,** 721(A)
**Waterman, A. T.** An equilibrium theory of electrical conduction—**21,**383(A)
——— Electrical conductivity of molybdenite—**21,**540;388(A)
**Watson, F. R.** Reverberation in auditoriums—**21,** 201(A)
**Weaver, Warren.** (see Mason, Max)—**21,**212(A)
**Webb, Harold W.** Duration of resonance radiation in mercury vapor—**21,**479(A); 719(A)
**Webster, Arthur G.** Experimental results in interior ballistics—**21,**378(A)
**Webster, D. L.** and **A. E. Hennings.** Penetration of cathode rays in molybdenum—**21,**301
——— X-ray isochromats of molybdenum—**21,**312
**Webel, R. L.** and **C. E. Lane.** Auditory masking of one pure tone by another and its relation to dyanamics of the inner ear—**21,**705(A)
**Wells, D. A.** (see Stuhlman, Otto)—**21,**717(A)
**Wenner, F.** A new feature in the production of uniform speeds of rotation—**21,**369(A)
**Wenner, F.** and **Nyna L. Forman.** A fallacy in the use of the Wheatstone bridge—**21,**704(A)
**Wereide, Th.** General principle of relativity applied to the Rutherford-Bohr atom-model—**21,**391
**Wheeler, L. P.** (see O'Brien, Brian)—**21,**376(A)
**Wick, Frances G.** Effect of pressure upon optical absorption—**21,**374(A)
**Williams, E. H.** (see Kunz, Jakob)—**21,**715(A)
**Williams, N. H.** Critical coupling and phase relations in V. T. power circuits—**21,**386(A)
**Williamson, R. C.** Ionization of potassium vapor by light—**21,**107
**Wills, A. P.** and **G. Hector.** Magnetic susceptibility of oxygen, hydrogen and helium—**21,**475(A)
**Wilson, Edwin B.** Effect of longitudinal moment of inertia upon dynamic stability of airplanes—**21,** 370(A)
**Winter, W. F.** (see Hull, Albert W.)—**21,**211(A)
——— (see Kleeman, R. D.)—**21,**369(A)
**Witmer, Enos E.** A diffraction phenomenon observed in night photographs—**21,**709(A)

**Wold, P. I.** and **E. B. Stephenson.** Velocity of sound by a phase indicating device—**21,**706(A)

**Wolff, Irving.** Experiments on the polarization capacity of electrolytes—**21,**718(A)

**Worthing, A. G.** Physical properties of Mo, Ta, Ni, and Pl at incandescent temperatures—**21,**705(A)

**Yao, Y. T.** Low-voltage arc in mercury vapor and its relation to fluorescence—**21,** 1

**Young, Wm. M.** Mobility of the ions in the corona discharge—**21,**708(A)

**Zimmerschied, Charlotte.** Passage of ions through a grid under the influence of an electric field—**21,**721(A)

# ANALYTIC SUBJECT INDEX TO VOLUME 21

References with (A) are merely to abstracts of papers presented at meetings of the Physical Society.


**Absorption screens,** ultra-violet
glasses and solutions, to 2300 A—**21,**107
**Acoustic power** of sound sources, in absolute units
organ pipes, violin, violincello, voice—**21,**475(A)
**Acoustic wave-filters**
attentuation and phase factors—**21,**201(A)
single band, variable—**21,**211(A)
theory; extension of—**21,**706(A)
transmission curves, actual and theoretical—**21,** 201(A)
**Aerodynamics** (see Airplanes)
resistance measurements in a high-speed air-stream—**21,**709(A)
**Airplanes**
stability, dynamic; effect of longitudinal moment of inertia—**21,**370(A)
**Alpha rays**
tracks in gases; study of 10,000 photos—**21,**375(A)
**American Physical Society** (see Proceedings)
**Arc, electric**
theory
thermionic emission, ionization, cathode and anode fall—**21,**266, 382(A), 476(A)
**Arc, low-voltage**
mercury
low-wattage type for laboratories—**21,**703(A)
striking and breaking potentials, variation with conditions—**21,**1, 204(A), 716(A)
potassium; absorption of hydrogen—**21,**720(A)
**Atmospheric electricity**
Ebert ion-counter; effect of potential gradient upon measurements—**21,**436; theory—**21,**449
potential gradient; diurnal variation—**21,**722(A)
**Atomic structure**
evidence from crystal structures—**21,**379(A)
helium, neutral; crossed orbit model—**21,**720(A)
iron and nickel; speculations—**21,**402
magnesium—**21,**385(A)
radii, from crystal structures—**21,**212(A),509
from x-ray data; 19 elements—**21,**205(A)
theory, Bohr; quantum defect and—**21,**710(A)
application of general relativity theory to—**21,**391
**Audition**
dynamics of inner ear—**21,**705(A)
masking of one pure tone by another—**21,**705(A)
physical basis of apparent pitch of a tone—**21,** 706(A)
**Audition sensibilities**
intensity sensibility as function of loudness and frequency—**21,**84
pitch sensibility, as function of loudness and frequency—**21,**84
**Audition sensitivity**
determination by continuous change of pitch—**21,**480(A)
scale, number, suggested—**21,**573
variation with pitch to 4096—**21,**480(A), 573

**Ballistics, interior**
combustion of powder; theory and experiments—**21,**378(A)
variation of pressure in a gun, continuous record—**21,**378(A)

**Canal rays**
light emission by H rays; duration—**21,**714(A)
sputtering by rays of A, Cs, H, He, Hg and Ne; also theory—**21,**210(A)
**Capillaries**
flow through (see Liquids)
**Cathode rays** (see Electrons)
penetration into a target of Mo—**21,**301
velocity change on passing through a metal foil—**21,**476(A)
**Cathodic sputtering** (see Canal rays)
**Chronograph**
optical; falling weight carrying plate—**21,**199(A)
**Compressibility**
metals; at high pressures—**21,**374(A)
vapor, saturated; formula—**21,**564
**Condensers** (see Dielectric)
**Contact, electric,** sliding
mechanical effects—**21,**368(A)
**Contact electricity**
dielectrics
collision with steel—**21,**479(A)
wringing flat surfaces together—**21,**479(A)

**Corona discharge**
current-voltage relation—**21,**708(A)
ions; mobility—**21,**708(A)
**Crystallization**
speed of, for CaSe—**21,**213(A)
**Crystal structure, density, and dimensions**
alkali halides, all—**21,**143
KI, $KI_3$, CsI, $CsI_3$, $CsIBr_2$; position of atoms of each element separately determined—**21,**380(A)
atomic radii from (see Atomic structure)
carbides; Al—**21,**716(A)
iron-nickel alloys; whole series—**21,**402, 380(A)
manganese dioxide minerals—**21,**389(A)
miscellaneous tetragonal; $YPO_2$, $MgF_2$, $CaWO_4$, $PbMoO_4$—**21,**719(A)
oxides; Mn, Mo, Pb, Ru, Si, Sn, Ti, Zr,—**21,** 719(A); Ca—**21,**213(A); Mn—**21,**378(A); Al, Fe, Cr—**21,**716(A)
palladium-hydrogen system—**21,**334
quartz—**21,**206(A), 503
selenium, metallic—**21,**378(A)
selenides—**21,**211(A); Ba, Ca, Cu, Sr, Zn—**21,**213(A), 213(A), 380(A)
silicates; $ThSiO_4$
spinels, nine—**21,**509
sulfides—**21,**211(A); Ca—**21,**213(A)
tellurium, metallic—**21,**378(A)
tellurides—**21,**211(A)

**Density, crystal** (see Crystal structure)
**Diathermacy** (see Heat transmission)
**Dielectric constants**
gases
air, $CO_2$, $O_2$, $H_2$, $N_2$—**21,**197(A), 198(A)
measurement—**21,**197(A), 198(A)
liquids (see Power loss)
Rochelle salt crystals; refersible inductivity—**21,** 348
**Dielectric constants** (see Power loss)
**Dielectrics, solid**
contact electricity (see)
Rochelle salt condenser; mechanical vibrations in oscillating circuit—**21,**348
Rochelle salt crystals
reversible inductivity—**21,**348
**Diffraction** (see Optical diffraction)
**Dilatometric** investigations
application in research—**21,**474(A)
**Discharge tube** (see Arc, low-voltage, Canal rays, Cathode rays, X-rays, Vacuum tubes)
luminosity; efficiency; 24 gases—**21,**210(A)
Na vapor—**21,**209(A)
potential distribution; time study with oscillograph—**21,**708(A)

**Dispersion** (see Optical dispersion)

**Earth's electric field** (see Atmospheric electricity)
**Earth's magnetic field**
analysis for 1922—**21,**370(A)
line integrals—**21,**388(A)
**Ebert ion-counter** (see Atmospheric electricity)
**Electrical conductivity and resistance**
carrier in metals; inertia—**21,**525
effect of extreme fineness of crystal structure—**21,** 22
electron theory—**21,**131, 382(A)
chemical equilibrium—**21,**383(A)
filaments of Mo, Ta, Ni and Pt at high temperatures—**21,**705(A)
films, evaporated, of Cu, Ag, Fe—**21,**22 196(A)
sputtered, of Au—**21,**708(A)
Hall effect; theory—**21,**131, 382(A)
evaporated films of Cu, Ag, Fe—**21,**22 196(A)
sputtered films of Au—**21,**708(A)
alloys; Si-Fe—**21,**720(A)
in magnetic fields, to 16 k-gauss—**21,**197(A)
measurement
at high temperatures—**21,**480(A)
for low resistances; percentage bridge—**21,** 368(A)
molybdenite—**21,**388(A); **21,**540
negative; radiotron as source of—**21,**717(A)
**Electric field**
of a moving charge; emission theory—**21,**465
**Electric waves**
filters; mechanical models—**21,**702(A)
reflection by some fluorides and halides—**21,** 712(A)
short; to 1.8 mm—**21,**587
improved oscillators and receivers—**21,**587
optical constants, for water, glycerine, methyl and ethyl alcohol—**21,**611
**Electrodynamic forces**
between two short cylindrical coils carrying currents of radio frequency—**21,**196(A)
**Electrolytes** (see Polarization, Electromotive force)
**Electrometer,** capillary
effects of direct and alternating voltages compared—**21,**38
**Electromotive force, contact** (see Contact electricity)
drop electrode in molten salt electrolyte—**21,** 705(A)
metal plate and solution
effect of intermittent direct current—**21,**369(A)
initial change—**21,**479(A)
Peltier
solid tin—liquid tin junction—**21,**197(A)

**Electrons** (see Cathode rays, Photo-electrons, Thermionic emission)
charge; new determination; droplet method—**21,**550
deflection, by electromagnetic radiation; theory—**21,**650
emission, secondary
for low speeds, Cu and Au—**21,**204(A)
variation with temperature; Cu and CuO—**21,**122
free, in metals; inertia—**21,**525
ionization by high speed (see Ionization)
mobilities
in CO, as function of field and pressure—**21,**517
in hydrogen—**21,**365 (correction)
theoretical expression—**21,**717(A)
radius, effective; from scattering results—**21,**477(A)
scattering; by Pt and Mg—**21,**385(A)
theory; positive nucleus of limited field—**21,**637
**Electroscope,** Bumstead; theory—**21,**368(A)
**Electrostatic potential**
around long charged wire between two earthed concentric cylinders, theory—**21,**186
**Evaporation**
from W filaments—**21,**343
**Explosives,** combustion (see Ballistics, interior)

**Filaments** (see Electrical conductivity, Evaporation, Thermionic Emission, Thermal Expansion
**Films** (see Electrical conductivity, Lubrication, Magnetic, Photo-electric and Thermo-electric properties)
evaporated; structure of—**21,**22
uniform, production by evaporation—**21,**22
**Friction**
electrification by (see Electricity, contact)
internal (see Shaft, whirling)
**Functions**
with multiplicative periods—**21,**186
**Furnace**
high temperature, high vacuum—**21,**704(A)

**Gases and vapors**
compressibility of saturated vapor (see)
convection (see Heat)
expansion, sudden (see Joule-Thomson effect)
fluctuations of energy etc. (see Statistical theory)
heat, specific (see)
ionization (see)
resistance to motion of sphere (see Stoke's law)
in air (see Aerodynamics)
slip coefficients (see Slip)
viscosity coefficients (see Viscosity)
**Gravitational attraction**
theory—**21,**711(A)
variation with temperature of the larger mass 20° to 250° C—**21,**680

**Hall effect** (see Electrical conductivity)
**Heat** (see Thermal)
convection
gases and liquids, free and forced—**21,**474(A)
liquids; variation with temperature—**21,**704(A)
radiation
measurement of; instrument for—**21,**103
specific
hydrogen; quantum theory—**21,**381(A)
empirical formula—**21,**382(A), 653
water vapor; empirical formula—**21,**382(A), 653
transmission (diathermacy)
air, glass, mica, rock salt, water, ice; for total radiation from a tubular furnace, 200° to 1200° C—**21,**103

**Interferometer,** rectangular
visibility of fringes—**21,**215(A)
**Ionization** (see Ions)
in arcs; theory (see Arc, electric)
by electrons with velocities approaching that of light—**21,**384(A)
by light, ultra-violet
potassium vapor—**21,**107
currents; measurement of—**21,**301
potentials
copper and copper oxide—**21,**122
gases He, Hg, $H_2$, $N_2$, $O_2$, $NH_3$, $H_2O$—**21,**717(A)
**Ions**
in CO; formation of negative—**21,**517
in corona discharge (see)
mobility
negative ions in air—**21,**384(A), 721(A)
positive ions from hot Pt—**21,**720(A)
theory, attachment—**21,**384(A)
passage through a grid under the influence of an electric field—**21,**721(A)
**Isotopes**
calcium; positive ray analysis—**21,**209(A)
mercury; partial separation; large capacity automatic apparatus—**21,**385(A), 386(A)
potassium; positive ray analysis—**21,**209(A)
relation, new, regarding—**21,**711(A)
separation; ionic migration method—**21,**389(A)

**Joule-Thomson effect**
carbon dioxide; various pressures and temperatures—**21,**372(A)
demonstration of temperature change—**21,**705(A)

**Kinetic theory** (see Statistical theory)

**Light emission** (see Canal rays, Discharge tube, Luminescence, Radiation, Spectra)
**Light sources** (see Arc, Discharge tube)
**Liquids** (see Heat, convection, Viscosity)
flow through capillaries—**21**,702(A)
jet; instability; demonstration—**21**,709(A)
influence of surface tension—**21**,365 (corr.)
settling of small particles—**21**,212(A)
structure, crystalline; evidence for—**21**,378(A)
**Liouville's theorem**; note—**21**,719(A)
**Lubrication**
oil films; carrying power—**21**,703(A)
viscosity of 5 oils under high pressure, 20 to 100° C—**21**,718(A)
**Luminescence and phosphorescence**
oxidation of organo-magnesium halides—**21**, 203(A)
in presence of active nitrogen—**21**,713(A)
titanium oxide, incandescent—**21**,713(A)
**Luminosity** (see Discharge tube)

**Magnetic field**
Earth's (see)
generalization of Biot-Savart law—**21**,360
**Magnetic properties**
ferro-magnetism; electron structure associated with; suggestion—**21**,509
iron crystals; maximum magnetization—**21**,22
iron films; maximum magnetization—**21**,22
iron, in high frequency rotating fields—**21**,707(A)
magnetostriction of iron and permalloy—**21**, 707(A)
permeability of paramagnetic substances for high frequencies; theory—**21**,371(A), 456
permalloy; properties in weak fields—**21**,707(A)
rotatory dispersion in absorbing media—**21**,197(A)
susceptibility of $O_2$, $H_2$ and He—**21**,474(A)
**Megaphone** or conical horn
optimum angle; explanation—**21**,200(A)
**Meteorites**
temperature; theoretical computation—**21**,377(A)
**Mirrors**
searchlight; 60-inch parabolic; tests—**21**,389(A)
**Mobilities** (see Electrons, Ions)
**Models,** mechanical (see Electric wave-filters)
**Molecular constants**
hydrogen—**21**,653
methane—**21**,377(A)

**Occlusion**
hydrogen by palladium; effect on crystal structure, etc.—**21**,334
**Optical absorption**
effect of pressure; solutions and solids—**21**,374(A)
screens (see Absorption screens)
**Optical constants**
liquids, for very short electric waves; water, glycerine, methyl and ethyl alcohol—**21**, 611
mercury, 5770 to 3022A—**21**,376(A)
molybdenite, for the visible—**21**,162
stibnite, for the visible—**21**,162
tellurium crystals, isolated—**21**,206(A), 211(A)
**Optical diffraction**
caustics due to apertures—**21**,480(A)
in photographs at night—**21**,709(A)
**Optical dispersion**
by electron gas in interstellar space—**21**,476(A)
isotropic media, with complex anisotropic molecules; theory—**21**,377(A)
rotatory, magnetic and natural, in absorbing media; discussion—**21**,197(A)
theory, quantum, modified—**21**,377(A)
**Optical instruments** (see Interferometer, mirror)
**Optical phenomena**
projection of polarization effects—**21**,199(A)
theory, quantum, of reflection, interference and diffraction—**21**,715(A)
**Optical reflection**
electric waves, short (see)
Fresnel's laws; departure from—**21**,699
galena and pyrite, for visible—**21**,162
from interface between media with same refractive indices—**21**,699
**Peltier effect** (see Electromotive force, contact)
**Phosphorescence** (see Luminescence)
**Photo-electric cells**
alkali, with hot tungsten filaments—**21**,210(A)
capacity; effect of illumination—**21**,383(A)
platinum-rhodamine B-Pt; effect of temperature on dark current—**21**,478(A)
**Photo-electric properties**
caesium vapor—**21**,715(A)
films, very thin—**21**,389(A)
molybdenite—**21**,540, 714(A)
oxides, heated—**21**,213(A)
phosphors, Lenard and Klatt CaBiNa—**21**,214(A)
potassium; wave-length limit—**21**,107
potassium vapor; photo-ionization by ultra-violet to 1850 A—**21**,107
**Photo-electrons**
velocities of emission, in normal and selective effects—**21**,714(A)
**Photography**
diffraction phenomena observed in night photographs—**21**,709(A)
quantum theory; sensitive spots—**21**,375(A)

**Physico-chemical research**
dilatometric investigations; importance—**21,**474(A)
**Pitch** (see Audition)
**Plotting device,** log and semi-log—**21,**473(A)
**Polarization** (see Dielectrics)
electrolytes; capacity as function of frequency—**21,**718(A)
**Potential, contact** (see Electromotive force)
measurement; photo-electric method—**21,**478(A)
potassium; variation with temperature—**21,**478(A)
selenium; effect of light—**21,**374(A)
**Potentials** (see Ionization, Radiation)
**Power loss**
condensers with various liquid dielectrics—**21,** 371(A)
variation with frequency
glass, mica, paraffin, etc.—**21,**53
measurement; new bridge method—**21,**53
**Pressures**
in a gun; continuous record—**21,**378(A)
**Proceedings of American Physical Society**
Boston meeting, December 27-29, 1922—**21,**366
Chicago meeting, December 1-2, 1922—**21,**194
New York meeting, February 24, 1923—**21,**473
Washington meeting, April 20-21, 1923—**21,**701

**Quantum theory** (see Photography, Radiation)
atomic structure; quantum defect and the new Bohr theory—**21,**710(A)
optical diffraction, interference and reflection; transfer of radiation momentum in quanta—**21,**715(A)
optical dispersion; modified theory—**21,**377(A)
radiation; modified derivation of general formula —**21,**198(A), 481(A)
specific heats, rotational and vibrational, of diatomic gas—**21,**381(A), 653
spectrum of helium—**21,**372(A)
x-rays, scattering—**21,**207(A), 477(A), 483, 715(A)

**Radiation**
deflection of electrons by; theory—**21,**650
emissivity, spectral and total, from incandescent Mo, Ta, Ni, and Pt—**21,**705(A)
emissivity, thermal, of water—**21,**368(A)
potentials; atomic hydrogen—**21,**476(A); helium —**21,**202(A); iodine—**21,**382(A); thallium—**21,** 718(A)
resonance
in mercury vapor; duration—**21,**479(A), 719(A)
frequencies, diatomic solids—**21,**712(A)
inelastic impacts; iodine—**21,**382(A); thallium —**21,**718(A)
passage through a gas, between coaxial cylindrical electrodes—**21,**207(A)
theory
moving isotropic radiator—**21,**484
non-quantum—**21,**711(A)
Planck's law; modified derivation—**21,**198(A), 481(A)
**Rare earths**
separation; methods—**21,**390(A)
**Reflection** (see Electric waves, Optical reflection, X-rays)
**Relativity**
application to Rutherford-Bohr atom model—**21,**391
Lorentz transformation; simple derivation—**21,** 390(A)
relation to theories of light and gravitation; discussion—**21,**711(A)
**Rochelle salt crystals**
dielectric inductivity, reversible—**21,**348
**Rotation, uniform;** production; new device—**21,** 369(A)
**Rubber,** vulcanized
x-ray examination for crystalline ZnO—**21,**719(A)

**Scattering** (see Electrons, X-rays)
**Scattering of light**
by liquids and vapors
benzene, to 283° C—**21,**564
depolarization factor—**21,**373(A)
by molecules, complex anisotropic; theory—**21,** 378(A)
by particles; theory, assuming Einstein's law—**21,**387(A)
**Shaft whirling**
internal friction theory—**21,**703(A)
**Slip coefficient,** and coefficient of diffuse reflection of gas molecules from a surface
air—**21,** 239, 250, 703(A)
carbon dioxide—**21,**250, 550
helium—**21,**550, 662, 703(A)
oxygen—**21,**662
various other gases and surfaces—**21,**217, 550
**Solubility**
theory (Hildebrand); statement and reply to criticism—**21,**46
**Sound** (see Acoustic, Audition)
absorption and transmission
auditoriums; reverberations—**21,**201(A)
plaster walls—**21,**480(A)
sawdust concrete—**21,**199(A)
analysis
acoustic diaphragm—**21,**200(A)
vowel ee; changing character—**21,**718(A)
filters (see Acoustic wave-filters)
sources (see Acoustic power)

**Sound** (cont.)
sources
megaphone as conical horn; optimum angle—**21,**200(A); theory—**21,**706(A)
strings; theory of vibration when string strikes edge near bridge—**21,**695
velocity
in free air—**21,**377(A)
measurement, by phase indicating device—**21,** 706(A)
in sea water at 0.3° C—**21,**181; to 20° C—**21,** 369(A)
**Spectroscope**
vacuum, for extreme ultra-violet—**21,**202(A)
**Spectra**
absorption screens (see)
alkaline earth metals; explosion spectra—**21,**373(A)
band, infra-red
diatomic gases; theoretical discussion and calculations—**21,**713(A)
ditomic solids; computed and observed resonance frequencies—**21,**712(A)
HCl; new lines—**21,**389(A)
methane; resolution into lines—**21,**376(A)
organic gases and vapors; ethylene, benzene, ethyl alcohol, ethyl ether—**21,**712(A)
Einstein shift in solar lines—**21,**712(A)
explosion spectra; alkaline earths—**21,**373(A)
fluorine; lines and bands—**21,**711(A)
helium
intensity relations; variation with current—**21,** 203(A)
variation with energy of impact of electrons—**21,**714(A)
low-pressure shift of energy toward violet—**21,** 212(A)
neutral; independent orbits theory—**21,**388(A)
new principal series, in extreme ultra-violet—**21,**202(A)
theory, quantum, of arc spectrum—**21,**372(A)
hydrogen
band lines, additional—**21,**375(A)
intensity distribution in broadened Balmer lines—**21,**474(A)
intensity relations; variation with energy of impact of electrons—**21,**202(A), 292
Stark effect for Balmer lines—**21,**710(A)
iodine; stages in excitation—**21,**382(A)
manganese; pole-effect, pressure shift, in visible—**21,**215(A)
oxygen; new series—**21,**710(A)
pole-effect and pressure shift (see Mn)
silicon; vacuum spark—**21,**203(A)
solar; 3883 CN band; relative wave-lengths in arc and sun—**21,**712(A)
Stark effect (see hydrogen)
thallium; stages in excitation—**21** 718(A)
theory; non-quantum; new interpretation and deduction of formulas—**21,**711(A)
**Sputtering** of cathode (see Canal rays)
**Stability** (see Airplanes)
**Statistical theory**
energy distribution in a system of particles—**21,** 198(A)
spontaneous fluctuations of energy, pressure and density—**21,**672
**Stark effect**
hydrogen series lines—**21,**710(A)
**Steel wire**
fatigue of spring when kept twisted—**21,**250
increase in stiffness due to constant tension—**21,** 662
**Stethoscope** telephone-transmitter, for faint sounds of low frequency—**21,**200(A)
**Stokes' law**
complete law of motion of sphere through a gas; correction term—**21,**217; constants—**21,**373(A)

**Temperature scale,** high
intercomparison of American and English standard scales—**21,**704(A)
**Thermal conductivity**
liquids under high pressure—**21,**704(A)
**Thermal emissivity** (see Radiation)
**Thermal expansion**
of filaments at incandescent temperatures; Mo, Ta, Ni, Pt—**21,**705(A)
**Thermionic emission**
in arc, electric; theory (see)
effect of adsorbed layer of caesium; experimental—**21,**380(A); theoretical—**21,**381(A)
effect of space charge—**21,**266
metal filaments in high vacuum; Mo, Ta, Th, W—**21,**207(A)
oxide coated filaments; effect of luminous radiation—**21,**213(A)
oxide coated platinum—**21,**208(A)
positive ions from Pt; mobility—**21,**720(A)
positive ions in alkali vapor tubes—**21,**385(A)
variation with temperature; general equation—**21,**623
vacuum electron tubes (see)
**Thermionic work-function**
computed; Ca, Ce, Mo, Ta, Th, W, Yt, Zr—**21,**623
oxide-coated Pt—**21,**208(A)
Mo and Ta—**21,**208(A)
tungsten and thoriated tungsten—**21,**208(A)
**Thermionic tubes**
alkali metal vapor—**21,**385(A)

**Thermo-electric**
effect of moving a flame along a wire—**21,**370(A)
power
tin; change at melting point—**21,**196(A)
properties
molybdenite—**21,**714(A)
sputtered films; Au, Pt, Pd—**21,**386(A)
**Triode tubes** (see Vacuum electron tubes)
**Tuning forks**
driven Piezo-electrically—**21,**371(A)
overtones of large forks—**21,**692

**Vacuum electron tubes**
alkali vapor—**21,**209(A), 387(A)
current and potential distribution for various cases; effect of space charge and cathode temperature—**21,**419
oscillator at high frequencies; characteristics—**21,**208(A)
resistance, negative, of radiotron—**21,**717(A)
space charge; neutralization by positive ions at low pressures—**21,**408
thoriated tungsten filaments; characteristics—**21,**211(A)
use in power circuits; coupling and phase relations—**21,**386(A)
**Vapors** (see Compressibility, Gases)
**Viscosity, coefficient**
gases
air—**21,**239, 250
argon—**21,**550
carbon dioxide—**21,**250, 550
helium—**21,**550, 662
hydrogen—**21,**550
methane, ethane, isobutane, nitrous oxide—**21,**550
oils, lubricating, under pressure—**21,**718(A)
**Webster, Arthur Gordon;** brief tribute—**21,**585
**Wheatstone bridge;** errors—**21,**704(A)
**Work-function** (see Thermionic work-function)

**X-rays**
absorption of short rays by carbon and water—**21,**478(A)
absorption coefficients (see scattering)
carbon, hydrogen, oxygen, .2 to 1.0 A—**21,**30
liquids: benzene, heptane, toluene, water, xylene, cyclohexanol, mesitylene—**21,**30
cobalt and Ni—**21,**721(A)
characteristic wave-length
L absorption; nine elements, 66 to 77—**21,**326
L-doublet separations; relativity formula—**21,**397; notation suggested—**21,**326
coloration, halite and sylvite—**21,**716(A)
intensity from Mo target; variation with voltage **21,**312
reflection, abnormal, by KI crystals—**21,**379(A)
relativity formula for L-doublet separations—**21,**397
scattering
absorption coefficient—**21,**483
from crystals at small angles—**21,**206(A)
diamond splints—**21,**477(A)
by liquids; benzene, mesitylene, octane—**21,**477(A)
theory, quantum, corpuscular—**21,**207(A), 477(A) 483, 715(A)
wave-length change; K-rays from Mo—**21,**484,715(A)
**X-ray tube**
current rectification; efficiency of kenetrons—**21,** **21,**477(A)
penetrations of cathode rays into target—**21,**301